



TEST REPORT

REPORT NUMBER : TURA170057166
APPLICANT NAME : Polymath Kimya San. ve Tic.Ltd.Şti.
ADDRESS : Akçaburgaz Mah.1575 Sok. Alkop San.Sit.B/7 No:7Esenyurt İstanbul / TURKEY
 TEL:0212 858 08 89
Attention : Gürkan Kaya (gurkankaya@polymathkimya.com)
SAMPLE DESCRIPTION : One sample of W 450 ULTRA CLEAR BATCH NO:17009 - Ecru print on white panel
DATE IN : 28 March ,2017 (13:59:00)
DATE OUT : 30 March ,2017
BUYER'S NAME : INDITEX
TRADE NAME : W 450 ULTRA CLEAR
BATCH NO : 17009

TEST	SAMPLE
Determination of Formaldehyde	1 NR

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. The reported uncertainty is based on a standard uncertainty multiplied by a coverage factor k=2, providing a level of confidence of approximately 95%. The uncertainty evaluation has been carried out in accordance with ISO/IEC 17025 and TÜRKAK accreditation requirements. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered. When uncertainty is taken into account, the result may be borderline. Borderline results need to be re-tested to determine their disposition up to customer's decision. Opinions and interpretations expressed herein are outside the scope of TÜRKAK accreditation. Tests marked (*) in this test report are not included in the TÜRKAK accreditation schedule for this laboratory.

Tuncay MADEN
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.S.
 Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
 Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
 e-mail : intertekcg.turkiye@intertek.com



170057166

RESULTS

REPORT :TURA170057166

Page 2 of 3

30 March ,2017

Test Method	Results	Requirements
Determination of Formaldehyde INDITEX SOP: ITX-GB/T 2912.1/2012C	<2 ppm	No Requirement

ppm = part per million (mg/kg)
Detection Limit = 2 ppm
< = Less Than
Estimated Total Uncertainty=(±6%)
Note :Sample was received unsealed


Intertek Test Hizmetleri A.S.

Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL

Phone : +90 212 496 46 46 Fax: +90 212 452 80 55

e-mail : intertekcg.turkiye@intertek.com

<http://www.intertek-turkey.com>



END OF TEST REPORT